

Initial Study/ Mitigated Negative Declaration

for the

Oak Hill Road at Squaw Hollow Creek Bridge (No. 25C0096) Replacement Project

January 2017

Prepared for:

El Dorado County
Community Development Agency
Transportation Division
2850 Fairlane Court
Placerville, CA 95667

Prepared by:

North State Resources, Inc.
2020 L Street, Suite 240
Sacramento, CA 95811

PROJECT INFORMATION

- 1. Project Title:** Oak Hill Road at Squaw Hollow Creek Bridge (No. 25C0096) Replacement Project
- 2. Lead Agency Name and Address:** El Dorado County
Community Development Agency
Transportation Division
2850 Fairlane Court
Placerville, CA 95667
- 3. Contact Person and Phone Number:** Janet Postlewait, Principal Planner
(530) 621-5993
janet.postlewait@edcgov.us
- 4. Project Location:** The project area is located approximately 0.6 mile south of Pleasant Valley Road and approximately 5 miles south of the city of Placerville in El Dorado County. It is in Section 33 of Township 10 North, Range 11 East on the *Placerville, California* 7.5-minute U.S. Geological Survey quadrangle.
- 5. Description of Project:** The County is proposing to replace Bridge Number 25C0096 over Squaw Hollow Creek on Oak Hill Road. The existing Squaw Hollow Creek bridge, built in 1945, would be replaced with a new standard two-lane bridge approximately 32 feet wide and 32 feet long. In addition, approximately 810 feet of Oak Hill Road would be reconstructed.
- 6. General Plan Designation:** Rural Residential (RR), Low Density Residential (LDR)
- 7. Zoning:** Residential Estate (RE-10)
- 8. Surrounding Land Uses and Setting:** The project area is in the Sierra Nevada foothills. Elevations range from approximately 2,060 to 2,100 feet above sea level. Dominant land uses in the vicinity are rural residential and open space. Open space includes oak and pine woodlands, grasslands, Squaw Hollow Creek, and riparian habitat.
- 9. Other Public Agencies Whose Approval May Be Required:**
 - California Department of Transportation — National Environmental Policy Act and National Historic Preservation Act compliance
 - California Department of Fish and Wildlife — Streambed Alteration Agreement
 - U.S. Army Corps of Engineers — Nationwide Permit 14 (Section 404 of the Clean Water Act)
 - Regional Water Quality Control Board — Water Quality Certification (Section 401 of the Clean Water Act)
 - El Dorado County Air Quality Management District — Fugitive Dust Plan

TABLE OF CONTENTS

1. Introduction	1
1.1. Purpose of this Document	1
1.2. Document Organization	1
2. Project Description.....	2
2.1. Location.....	2
2.2. Project Purpose and Objectives.....	2
2.3. Project Description	2
2.4. Construction Contract.....	4
2.5. Required Permit Approvals	6
3. Initial Study Checklist.....	9
3.1. Initial Study Checklist.....	9
3.2. Setting, Impacts, and Mitigation Measures	10
4. Determination	40
5. Report Preparation and References	41
5.1. Report Preparation.....	41
5.2. References	41

LIST OF FIGURES

Figure 1. Project Area Location.....	7
Figure 2. Project Design	8

LIST OF TABLES

Table 1. Required Permit Approvals.....	6
Table 2. Typical Construction-Related Noise Levels	33

LIST OF APPENDICES

Appendix A	Mitigation Monitoring and Reporting Plan
------------	--

1. INTRODUCTION

1.1. Purpose of this Document

The El Dorado County Community Development Agency, Transportation Division (County) is proposing to replace the existing bridge (No. 25C0096) over Squaw Hollow Creek on Oak Hill Road (proposed project) near the community of Tiger Lily, El Dorado County, California. This Initial Study identifies the potential environmental impacts of the proposed project to determine whether the project may have a significant effect on the environment. It also identifies mitigation measures, where applicable, to reduce or avoid significant effects.

This Initial Study has been prepared pursuant to the California Environmental Quality Act (CEQA) and the CEQA Guidelines (14 California Code of Regulations 1500 et seq.). CEQA requires that all state and local government agencies consider the environmental consequences of projects over which they have discretionary authority before acting on those projects. The County is the Lead Agency under CEQA. The County is receiving federal funding under the Federal Statewide Transportation Improvement Program–Local Highway Bridge Program (FSTIP–HBP) administered by the California Department of Transportation (Caltrans). Caltrans, under a programmatic agreement with the Federal Highway Administration, will complete a Categorical Exclusion with technical studies to comply with the National Environmental Policy Act (NEPA).

1.2. Document Organization

The remainder of this document is organized into the following sections:

- **Section 2. Project Description** – Describes the proposed project;
- **Section 3. Initial Study Checklist** – Describes the environmental setting and analyzes impacts, with mitigation measures identified for potentially significant impacts;
- **Section 4. Determination** – Presents the County’s findings pursuant to CEQA;
- **Section 5. Report Preparation and References** – Identifies the persons responsible for preparation of this document and lists references cited in the document;
- **Appendix A. Mitigation Monitoring and Reporting Plan** – Presents a mitigation monitoring and reporting plan for mitigation measures required to reduce potentially significant impacts to less-than-significant levels.

2. PROJECT DESCRIPTION

2.1. Location

Bridge Number 25C0096 over Squaw Hollow Creek is located on Oak Hill Road approximately 0.6 mile south of Pleasant Valley Road and approximately 5 miles south of the city of Placerville in El Dorado County. The bridge is in Section 33 of Township 10 North, Range 11 East on the *Placerville, California* 7.5-minute U.S. Geological Survey quadrangle (Figure 1 at the end of this section). The project area encompasses approximately 6.12 acres along approximately 810 feet of Oak Hill Road, generally centered on the existing bridge (Figure 2 at the end of this section), and consists of the work areas on and adjacent to the bridge and road and a potential staging area.

2.2. Project Purpose and Objectives

The proposed project is included in the County Capital Improvement Program and the FSTIP and is being funded by HBP funds administered by Caltrans. The purpose of the project is to improve traffic safety conditions on a public roadway and comply with current County and American Association of State Highway and Transportation Officials guidelines by: (1) replacing a functionally obsolete bridge with a new structure that meets current standards and (2) widening the road geometry approaching the bridge from both south-bound and north-bound directions. The existing bridge was determined to be functionally obsolete, with a sufficiency rating of 52.7 out of 100. Oak Hill Road is a local rural road with a two-way travel lane that has an average daily traffic count of about 2,000 trips near the project area. The overall project objective is to improve safety and traffic operations along Oak Hill Road.

2.3. Project Description

Project Design

The County is proposing to replace the existing bridge, built in 1945, with a standard two-lane bridge approximately 32 feet wide and 32 feet long. The existing bridge is a two-lane, 19.6-foot-wide and 24-foot-long, reinforced concrete deck/girder bridge. The new bridge would have two 12-foot-wide travel lanes with 3-foot-wide shoulders on each side. The vertical alignment of the bridge may raise approximately 5 feet. The new bridge would be located slightly west of the existing bridge, which would make the curve approaching the bridge from the south less severe. The bridge structure type has not yet been determined. The foundation of the new bridge may consist of cast-in-drilled-hole piles or spread footings, which will be determined based on the results of a geotechnical study. The bridge abutments would be located on the banks of Squaw Hollow Creek and would not be in the active channel. Rock slope protection may be placed around the new abutments to protect them from scouring and erosion. It is anticipated that the excavation for the abutments would not exceed 20 feet (approximate) below the existing ground surface.

The County plans to widen the roadway approaches from 18 feet to 30 feet to align with the new bridge width and may need to realign the approaches. Approximately 430 feet and 380 feet of Oak Hill Road would be reconstructed to the south and north of the new bridge, respectively. As part of this realignment, cut and fill would be required along the new roadway, and fences and roadside drainage ditches may be relocated to follow the modified roadway. Adjacent driveways would also be realigned to

match the new roadway. In addition, pavement associated with the old roadway would be removed, and the disturbed area would be restored to match adjacent conditions (e.g., grasslands). New guardrails approximately 80 feet long would be installed adjacent to the bridge abutments on both sides of Oak Hill Road. A retaining wall, approximately 200 feet long, with a drainage swale may be installed on the west side of Oak Hill Road, south of the existing bridge, to stabilize the slope.

Construction Methods

The proposed project would generally involve tree removal; site clearing, preparation, and earthwork; utility relocation; demolition and removal of the existing bridge structure; construction of new bridge foundations, abutments, retaining structures, deck, and guardrails; widening and realignment of a segment of Oak Hill Road; applying pavement overlay; possible realignment and grade changes of existing driveways; and hydroseeding disturbed areas. Staging would be along the road where feasible and may occur on a private property to the southeast of the bridge. Blasting is not expected but cannot be completely ruled out, depending on the nature of the subsurface rock that may be encountered. Some vegetation removal would be necessary along the creek to construct the new bridge and modify the roadway approaches. Any demolition materials would be removed and disposed of offsite at an appropriate facility. Prior to project construction and utility relocation, exclusionary fencing would be installed along the east side of Oak Hill Road south of the creek to protect a known cultural resources site and prevent equipment and construction activities from disturbing the ground outside the designated work area.

Approximately 4,000 cubic yards of imported materials would be used in construction; fill would be obtained from approved commercial sources. Areas to receive fill would be cleared, scarified, and re-compacted to minimize ground settlement under the increased loading caused by the fill. Fill would be placed along the new roadway approaches to raise the current ground surface on each side of the creek to match the new roadway and bridge elevation. Excavation would be required at the bridge abutments, along the roadway prism where existing pavement is removed, for the retaining wall, and for drainage improvements along the new road shoulders. An estimated 3,000 cubic yards of material would be excavated; excess excavated material not used onsite would be properly disposed of offsite.

In-Stream Construction

A temporary diversion dam and piping may be used to divert stream flows around the excavation areas for the new bridge foundations. The diversion dam and piping would be temporarily installed in the creek bed approximately 100 feet east (upstream) of the existing bridge. The diversion dam would consist of a simple dam or other barrier (e.g., sandbags) and would be approximately 18 feet long, extending between both banks of the creek. No instream excavation would be needed to place the diversion dam in the creek. Flexible piping would likely be used to carry stream flow through the instream work area. The piping would be sized to allow creek flows to be directly channeled and conveyed through the work area with minimal impacts at the inlet and outlet locations of the diversion piping. The diversion device would be removed after the bridge work is complete, and normal stream flow would be restored. The instream work would take place when stream flows are lowest.

Schedule

Construction is expected to start in 2018 or later, once all required approvals and funding have been obtained. The construction period for the bridge and roadway improvements would take up to 1.5 years. Construction would generally take place between April 15 and October 30. Work performed in and around the creek (e.g., diversion dam, bridge construction) would be scheduled during dry months.

Utility relocation (e.g., overhead telephone and electrical, underground waterline) may be scheduled within a year prior to bridge construction.

Traffic Control

Construction of the new bridge would be implemented in stages to allow vehicle traffic during the construction period. Traffic control would be provided on Oak Hill Road during construction. One controlled 10-foot-wide traffic lane would be maintained throughout construction to allow vehicle traffic across the bridge. Construction may be conducted at night to avoid major traffic impacts and would be coordinated with nearby residents. Traffic flow would be maintained throughout the construction period, although short-term closures may occur. No traffic control measures would prevent access by local residents.

Rights-of-Way, Utilities and Services

The proposed bridge and road reconstruction work would occur in existing County rights-of-way and in additional rights-of-way to be acquired to accommodate the project. Temporary easements may also be needed for staging and other construction-related activities associated with the project. The County will coordinate with the private property owner on the new road alignment and landowner authorizations.

Overhead electrical and telephone lines and an underground waterline may need to be relocated to the new right-of-way or proposed easements. The electrical and telephone lines may require the relocation of multiple poles and the corresponding wires and guy anchors, and vegetation would need to be cleared within 15 feet of the overhead electrical lines. The specific pole locations will be determined in coordination with Pacific Gas and Electric Company and the telephone company to ensure the span between poles is adequate. Waterlines along driveways between the main line and meters may need to be relocated to ensure proper flow. The specific location and pipeline design will be coordinated with El Dorado Irrigation District. The County will coordinate utility relocations with construction contractors and utility companies in advance of the bridge and roadway construction. Temporary, short-term disruptions of utility services may occur during connection of the new facilities. All potentially affected property owners would be notified by the County, the utility company, or the construction contractor approximately one week prior to the service interruption. No wastewater services would be affected during construction.

2.4. Construction Contract

The County would retain a construction contractor to construct the new bridge. The contractor would be responsible for compliance with all applicable rules, regulations, and ordinances associated with the proposed project activities and for implementing construction-related mitigation measures. The County would provide construction contractor oversight and management and would be responsible for verifying implementation of the mitigation measures. The contractor would construct the proposed project in accordance with the Public Contracts Code of the State of California; the State of California Department of Transportation Standard Plans and Standard Specifications; and the Contract, Project Plans, and Project Special Provisions under development by the County.

The following measures are a combination of standard and project-specific procedures and requirements applicable to construction:

- Construction contract special provisions will require that a traffic management plan be prepared. The traffic management plan will include construction staging and traffic control measures to be implemented during construction to maintain and minimize impacts to traffic on nearby roads

during construction. Minor traffic stoppages or delays on Oak Hill Road or nearby roads may be allowed if necessary during project construction to provide access for construction equipment and vehicles into the project area. No road closures or detours are expected to be necessary during construction, but signs and short-term flagman may be used to alert travelers on nearby roads of construction activities.

- Contract special provisions will require compliance with El Dorado County Air Quality Management District (AQMD) Rules 223 and 223-1 to minimize fugitive dust emissions.
- The contractor will be required to comply with the California Air Resources Board Airborne Toxic Control Measure at Title 17, California Code of Regulations, Section 93106 addressing the use of asbestos-containing materials in surfacing applications.
- Contract provisions will require compliance with an environmentally sensitive area (ESA) action plan (North State Resources, Inc. 2016a) to ensure that construction activities do not inadvertently affect cultural resources. Measures include installing orange protective exclusionary fencing around the outermost limits of ground-disturbing activities associated with the project, as depicted in Figure 2. The ESA measures will also be in effect for utility relocation, which may occur prior to construction.
- Contract provisions will require notification of the County and compliance with California Health and Safety Code Section 7050.5 and California Public Resources Code Sections 5097.5, 5097.9 et seq., regarding the discovery and disturbance of cultural materials or human remains should any be discovered during project construction.
- Contract provisions will require compliance with the El Dorado County Grading Ordinance and Storm Water Management Plan for Western El Dorado County and implementation of best management practices (BMPs) as identified in the National Pollutant Discharge Elimination System permit and/or Storm Water Management Plan. The contractor will be required to prepare a storm water pollution prevention plan or water pollution control plan that identifies project-specific BMPs that would be implemented in accordance with County and Caltrans requirements. BMPs may include those related to structure demolition/removal over or adjacent to water, temporary stream crossings, stream bank stabilization, clear water diversions, material equipment use over water, and others as applicable.
- Contract provisions will require a fire safety plan to prevent fires from construction operations (such as welding).
- The County or its construction contractors will conduct early coordination with law enforcement and emergency service providers to ensure minimal disruption to service during construction.
- The County and its construction contractors will comply with the State of California Standard Specifications, written by Caltrans, for public service provision.
- Access to adjacent private properties will remain open at all times during the construction period.
- The proposed project will comply with General Plan Policy 6.5.1.11 pertaining to construction noise.


2.5. Required Permit Approvals

Applicable federal, state, and local authorizations that will be needed prior to project implementation are identified in Table 1.

Table 1. Required Permit Approvals

Approving Agency	Required Permit/Approval	Required for
<i>Federal Agencies</i>		
U.S. Army Corps of Engineers	Coverage under Nationwide Permit 14 (Section 404 of the Clean Water Act, 33 USC 1341)	Discharge of fill material into waters of the United States
<i>State Agencies</i>		
California Department of Transportation	Project approval/NEPA compliance	Federal funding through the FSTIP-HBP
	Compliance with Section 106 of the National Historic Preservation Act under the 2014 First Amended Programmatic Agreement	Potential impacts on cultural resources
Regional Water Quality Control Board (Central Valley)	Water quality certification (Section 401 of the Clean Water Act)	Discharge into waters of the United States
	Coverage under the General Construction Activity Storm Water Permit (Section 402 of the Clean Water Act, 40 CFR Part 122)	Storm water discharges associated with construction activity for greater than 1 acre of land disturbance
California Department of Fish and Wildlife	Streambed Alteration Agreement (Section 1602 of the Fish and Game Code)	Bridge installation across Squaw Hollow Creek
<i>Local Agencies</i>		
El Dorado County	Project approval/CEQA compliance	Project implementation and funding
El Dorado County Air Quality Management District	Fugitive dust plan	Compliance with Rule 223-1 (Fugitive Dust, Construction Activities)

Document Path: G:\Projects\14_148_150_EDC_Bridges\14_149_Oak_Hill_Bridge\Figure_1_Cultural_Location_Oak_Hill_0096.mxd Date: 10/14/2016 S.Holt



 Project Area (6.12 acres)

Public Land Survey
Sec. 33, T10N, R11E

USGS 7.5 Quad:
Placerville - Revised 1973






Figure 1
Project Area Location

Document Path: G:\Projects\14_148_149_150_EDC_Bridges\14.149_Oak_Hill_Bridge\Figure_2_ProjectDesign_OakHill_0096.mxd



- | | |
|--------------------|--------------------------------------|
| Project Area | Environmentally Sensitive Area Fence |
| Existing Bridge | Proposed Road Alignment |
| New Bridge | Abutment |
| Extent of Cut/Fill | Retaining Wall |
| | 1-foot Contour |




Figure 2
Project Design

3. INITIAL STUDY CHECKLIST

3.1. Initial Study Checklist

This section of the Initial Study incorporates the Environmental Checklist contained in Appendix G of the CEQA Guidelines, except that greenhouse gases are discussed under air quality. Each resource section provides a brief description of the setting, a determination of impact potential, and a discussion of the impacts. Mitigation measures are identified where appropriate for adoption by the County and incorporation into the proposed project and contractor documents to reduce potential impacts to less-than-significant levels. The following 16 environmental categories are addressed in this section:

- Aesthetics
- Agriculture and Forest Resources
- Air Quality/Greenhouse Gas
- Biological Resources
- Cultural Resources
- Geology and Soils
- Hazards and Hazardous Materials
- Hydrology and Water Quality
- Land Use and Planning
- Mineral Resources
- Noise
- Population and Housing
- Public Services
- Recreation
- Transportation/Traffic
- Utilities and Service Systems

Each of the environmental categories was fully evaluated, and one of the following four determinations was made for each checklist question:

- **“No Impact”** means that no impact to the resource would occur as a result of implementing the project.
- **“Less than Significant Impact”** means that implementation of the project would not result in a substantial and/or adverse change to the resource, and no mitigation measures are required.
- **“Potentially Significant Unless Mitigation is Incorporated”** means that the incorporation of one or more mitigation measures is necessary to reduce the impact from potentially significant to less than significant.
- **“Potentially Significant Impact”** means that there is either substantial evidence that a project-related effect may be significant, or, due to a lack of existing information, could have the potential to be significant.

3.2. Setting, Impacts, and Mitigation Measures

I. AESTHETICS — Would the project:	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a) Have a substantial adverse effect on a scenic vista?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Substantially damage scenic resources, including, but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Substantially degrade the existing visual character or quality of the site and its surroundings?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Environmental Setting

The project area is in a rural community in El Dorado County. Views from the project area are dominated by the surrounding oak and pine woodlands, open space, riparian vegetation along Squaw Hollow Creek, several residential properties, and roads. Some of the project area is visible from nearby residences, although intervening vegetation screens some views of the project area. No scenic vistas exist in the project area or are visible from the project area. No scenic highways exist in or near the project area; the closest designated or eligible scenic highways are U.S. Highway 50 and U.S. Highway 49, approximately 4.4 miles north and 2.5 miles northwest of the project area, respectively. No unique scenic resources are present in or viewed from the project area.

Discussion of Impacts

- a, b) **No Impact.** The proposed project would not permanently alter views of scenic vistas in the vicinity of the project area or damage any scenic resources within a state scenic highway.
- c) **Less than Significant Impact.** The proposed project would result in physical changes to the visual characteristics of Oak Hill Road, Squaw Hollow Creek bridge, and the adjacent areas. The road and bridge would be wider to meet current standards, creating more paved surface area, and would be shifted just west of the existing bridge. Views of the slightly raised bridge and realigned road approaches from nearby residences would be similar to current views; tall trees and vegetation would continue to mask views of the bridge from most locations. Road improvements would involve some vegetation removal, but the visual characteristics of the surrounding area would not be altered. Most impacts on the visual character would result from temporary construction activities, which would primarily occur in previously disturbed areas or adjacent to the existing roadway. The new bridge structure would not block views of the surrounding area. Nearby residents and motorists that regularly use Oak Hill Road would be most likely to notice the changes, but the overall visual character of the project area would be similar to current conditions. Project implementation would result in a less-than-significant impact on the area’s visual character.

- d) **Less Than Significant Impact.** The proposed project would not create a permanent, new source of light or glare. The new bridge and roadway approaches would be located slightly west of the existing bridge, making the curve approaching the bridge from the south less severe. The planned roadway realignment is not expected to cause auto headlights to shine into windows of nearby residences. If nighttime construction is necessary, the use of nighttime lighting would comply with County policies to direct lighting away from nearby residences and oncoming traffic. In addition, traffic control measures would be used to alert drivers to the construction activities. The use of nighttime lighting would be temporary and would affect few receptors near the project area. The County would also coordinate any nighttime activities with nearby residents in advance to ensure minimal disruptions or disturbance to the residents. Lighting-related impacts would be less than significant.

II. AGRICULTURE AND FOREST RESOURCES — Would the project:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined by Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production as defined by Government Code Section 51104(g)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Result in loss of forest land or conversion of forest land to non-forest use?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Involve other changes in the existing environment, which, due to their location or nature, could result in conversion ?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

The project area encompasses oak and pine woodlands, a creek, an existing road, open space pasture, and adjacent rural residences. The project area does not contain any farmland that is designated as Prime, Unique, or of Statewide Importance or land under a Williamson Act contract (California Department of Conservation 2012). Land in and adjacent to the project area is designated as “Other Land.” In addition, the project area does not contain any forested land.

Discussion of Impacts

- a, b) **No Impact.** No important farmland is present in the project area. The proposed project is a bridge replacement along an existing road and would not result in other changes that could convert farmland to non-agricultural uses.

c, d, e) **No Impact.** No forest land is present in the project area. The proposed project would not result in a loss of forest land or conversion of forest to non-forest use.

III. AIR QUALITY/GREENHOUSE GAS — Where available, the significance criteria established by the applicable air quality management or air pollution control district may be relied upon to make the following determinations. Would the project:

	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a) Conflict with or obstruct implementation of the applicable air quality plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Violate any air quality standard or contribute to an existing or projected air quality violation?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions which exceed quantitative thresholds for ozone precursors)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Expose sensitive receptors to substantial pollutant concentrations?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Create objectionable odors affecting a substantial number of people?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
g) Conflict with any applicable plan, policy, or regulation of an agency adopted for the purpose of reducing the emissions of greenhouse gases?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

The project area is in the Mountain Counties Air Basin, and air quality is regulated by the El Dorado County Air Quality Management District (AQMD). The AQMD regulates air quality through the federal and state Clean Air Acts, district rules, and its permit authority.

National and state ambient air quality standards have been adopted by the Environmental Protection Agency and the State of California, respectively, for each criteria pollutant: ozone, particulate matter, carbon monoxide, nitrogen dioxide, and sulfur dioxide. El Dorado County AQMD’s (2002) Guide to Air Quality Assessment identifies specific daily emissions thresholds based on the national and state standards that can be used to determine the significance of project emissions. Thresholds of significance for pollutants of concern are:

- Reactive Organic Gasses (ROG): 82 lbs/day
- Nitrogen Oxides (NOx): 82 lbs/day
- Carbon Monoxide (CO): 9 parts per million (ppm) – 8-hour average; 20 ppm – 1-hour average
- Respirable Particulate Matter (PM₁₀): 30 µg/m³ – annual geometric mean; 50 µg/m³ – 24-hour average

The County has been designated as nonattainment for both federal and state ozone standards and for the state PM₁₀ and federal PM_{2.5} standards and is in attainment or unclassified status for other pollutants (California Air Resources Board 2013). Sources of pollutants in the project vicinity include vehicle emissions, wood-burning stoves in nearby residences, other residential activities, and periodic construction activities. Sensitive receptors near the project area include residents in homes along Oak Hill Road and adjacent to the project area.

Naturally occurring asbestos is also a concern in El Dorado County because it is known to be present in certain soils and can pose a health risk if released into the air. The AQMD has adopted an El Dorado County Naturally Occurring Asbestos Review Area Map that identifies those areas more likely to contain naturally occurring asbestos (El Dorado County 2005). This map indicates that the proposed project is not in an area identified by the County as being “More Likely to Contain Asbestos.”

Discussion of Impacts

- a, b) ***Less Than Significant Impact.*** Construction activities would result in short-term increases in emissions from the use of heavy equipment that generates dust, exhaust, and tire-wear emissions; soil disturbance; materials used in construction; and construction traffic. These emissions would include fugitive dust (PM₁₀ and PM_{2.5}) from ground-disturbing activities and both reactive organic compounds (ROG) and nitrogen oxide (NO_x) emissions from vehicle and equipment operations. Construction-related emissions would be minimized through compliance with applicable AQMD rules, including Rule 223 Fugitive Dust – General Requirements and Rule 223-1 Fugitive Dust – Construction Requirements. These rules regulate fugitive dust generated by construction activities. In compliance with Rule 223-1, a fugitive dust plan will be prepared and submitted to the County AQMD for approval prior to construction. Although El Dorado County is designated nonattainment for PM₁₀, compliance with AQMD Rules 223 and 223-1 would ensure that the emissions do not result in a violation of air quality standards in the air basin or a substantial adverse contribution to air quality in the region.

During construction, the temporary closure of one travel lane along Oak Hill Road would temporarily delay travelers along the road, but traffic control measures would ensure access is maintained through the project area. The temporary delays would not increase overall trips in the area or result in increased vehicle emissions from daily traffic. The new bridge is not designed to increase traffic along Oak Hill Road; it would improve safety conditions for travelers using the road. Long-term emissions from traffic using Oak Hill Road would be improved over current conditions with the improved roadway geometry, new pavement, and wider bridge.

- c) ***Less Than Significant Impact.*** As discussed under items a, b) above, the proposed project would result in minor construction-related emissions. It would not result in a cumulatively considerable net increase of any criteria pollutant. The project would cause short-term air quality impacts as a result of construction activities; however, it would not result in long-term or cumulatively considerable increases in air quality pollutant emissions for which El Dorado County is currently designated nonattainment (ozone precursors, PM_{2.5}, and PM₁₀).
- d) ***Less Than Significant Impact.*** As discussed in a, b) above, construction activities would result in short-term increases in emissions. Residents in homes near the project area could be exposed to temporary air pollutants from construction activities, such as fugitive dust, ROG, NO_x, and carbon monoxide. Construction activities would be temporary, lasting approximately 10 months over 1.5 construction seasons, and emissions would not be

substantial. In addition, compliance with AQMD Rules would ensure fugitive dust from construction activities remains in the project area or within 50 feet of the disturbed area. Few sensitive receptors are near the project area, and with the minor increase in emissions, sensitive receptors would not be exposed to substantial pollutant concentrations. Air quality impacts would be less than significant.

- e) **Less Than Significant Impact.** Construction activities would involve the use of gasoline or diesel-powered equipment that emits exhaust fumes. Construction would also involve asphalt paving, which has a distinctive odor during application. These activities would take place intermittently throughout the workday, and the associated odors are expected to dissipate within the immediate vicinity of the work area. Persons near the construction work area may find these odors objectionable. However, the limited number of receptors, infrequency of the emissions, rapid dissipation of the exhaust into the air, and short-term nature of the construction activities would result in less-than-significant odor impacts.
- f) **Less Than Significant Impact.** Greenhouse gases (GHGs) are recognized by wide consensus among the scientific community to contribute to global warming/climate change and associated environmental impacts because of their ability to trap heat in the atmosphere and affect climate. The major GHGs that are released from human activity include carbon dioxide, methane, and nitrous oxide (Governor’s Office of Planning and Research 2008). The primary sources of GHGs are vehicles (including planes and trains), energy plants, and industrial and agricultural activities (such as dairies and hog farms).

Emissions of GHGs from the proposed project would be produced from the materials used for the bridge as well as construction-related equipment emissions. The project would not increase the generation of emissions after construction is complete because traffic levels would be similar to current conditions. Emissions of GHGs resulting from construction activities would be short-term and minor. While the project would have an incremental contribution within the context of the county and region, the individual impact is considered less than significant.

- g) **No Impact.** The proposed project would not generate significant emissions of GHGs and, therefore, would not conflict with any applicable plans, policies, or regulations adopted for the purpose of reducing the emission of GHGs.

IV. BIOLOGICAL RESOURCES — Would the project:	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, or regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

IV. BIOLOGICAL RESOURCES — Would the project:	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

The habitat communities in the project area include montane hardwood-conifer, montane riparian, pasture, and riverine (Squaw Hollow Creek) (North State Resources, Inc. 2016b). Montane hardwood-conifer habitat occurs along Oak Hill Road throughout much of the project area. Montane riparian habitat occurs in the project area as a narrow stringer along the north bank of Squaw Hollow Creek just west of the existing bridge, south of Squaw Hollow Creek on the east side of the bridge, and along the east side of Oak Hill Road south of Squaw Hollow Creek. Pasture habitat exists east of Oak Hill Road on the south side of Squaw Hollow Creek and borders the montane riparian habitat in the project area. Squaw Hollow Creek flows east to west through the project area. It is a scoured drainage dominated by run and riffle characteristics, with cobble, gravel, and sand substrates, and has dense patches of Himalayan blackberry along the banks.

Focused field surveys were performed in June and August 2015 to assess the potential for special-status plant and animal species to occur in the project area. Based on the results of the surveys, no special-status plants are expected to occur in the project area given the lack of suitable habitat (e.g., serpentine soils). Special-status fish species are also not expected to be present in Squaw Hollow Creek or downstream of the project area due to downstream barriers and lack of connectivity to known occupied streams. No elderberry shrubs are present in the project area that would provide habitat for the federally listed valley elderberry longhorn beetle (*Desmocerus californicus dimorphus*). The federally listed California red-legged frog (*Rana draytonii*) is not likely to occur in the project area given the nearest known breeding population is more than 10 miles east of the project area; thus, dispersal of individuals from the breeding population into the project area is unlikely. Squaw Hollow Creek also lacks pools more than 1 foot deep during the summer months, and lacks the dense emergent and submergent vegetation required for California red-legged frog larval development. As such, Squaw Hollow Creek in and near the project area is unsuitable for California red-legged frog breeding and larval rearing. No other federal or state-

listed species are expected to occur in or near the project area given the lack of suitable habitat (North State Resources, Inc. 2016b).

Special-status animal species that may use the project area include foothill yellow-legged frog (*Rana boylei*), western pond turtle (*Actinemys marmorata*), olive-sided flycatcher (*Contopus cooperi*), yellow warbler (*Dendroica petechia*), and yellow-breasted chat (*Icteria virens*). All of these animals are California Species of Special Concern. Squaw Hollow Creek provides suitable aquatic habitat to support foothill yellow-legged frog breeding. The creek also provides aquatic habitat and basking locations for western pond turtle, and adjacent uplands could provide potential nesting habitat for the species. Montane hardwood-conifer, montane riparian, and pasture habitats provide nesting and foraging opportunities for olive-sided flycatcher, yellow warbler, yellow-breasted chat, and various migratory birds.

Waters of the United States in the project area include Squaw Hollow Creek, a drainage ditch, riparian wetlands, and an irrigated pasture, which encompass approximately 0.444 acre (North State Resources, Inc. 2015). Squaw Hollow Creek ranges from 15 to 20 feet wide in the project area. The drainage ditch is located in the southern portion of the project area on the east side of Oak Hill Road and transitions between the characteristics of a non-vegetated and vegetated ditch in the project area. The ditch in the project area measures approximately 4 feet wide and conveys water from a fresh emergent wetland outside of the project area to Squaw Hollow Creek. Riparian wetlands are located along the north and south banks of Squaw Hollow Creek on both sides of the existing bridge and in the vegetated portion of the drainage ditch. An irrigated pasture is on the east of Oak Hill Road and south of Squaw Hollow Creek in an open field. Runoff from the irrigated pasture likely drains to the non-vegetated ditch on the west side of the pasture.

Discussion of Impacts

- a) ***Potentially Significant Impact Unless Mitigation Incorporated.*** The project area does not provide habitat for federally listed anadromous fish (e.g., salmon, steelhead) or valley elderberry longhorn beetle. Impacts on California red-legged frogs will not occur given individuals are highly unlikely to be present in the project area, and no breeding and/or larval rearing habitats to support the species are present. However, construction activities could adversely affect foothill yellow-legged frog, western pond turtle, olive-sided flycatcher, yellow warbler, or yellow-breasted chat, and other nesting migratory birds. The realignment of the roadway approaches to Squaw Hollow Creek bridge would affect less than 1 acre of montane hardwood-conifer and montane riparian habitats. The new bridge would be located slightly west of the existing bridge and would span Squaw Hollow Creek, minimizing permanent impacts on the creek. The proposed project would result in a negligible loss of habitat.

Construction activities could introduce invasive plants into the project area from seeds or plant material on equipment, if it is not washed prior to entering the project area. Ground disturbance could encourage the spread of invasive plants already present in the project area by creating conditions that are more favorable for invasive plants than native plants. Equipment used in the project area could expose seeds of existing invasive species or introduce other invasive plants, which could degrade habitat in and near the project area. Implementation of Mitigation Measure 1 would reduce the potential for invasive plants to be introduced or spread into the project area.

Direct impacts on foothill yellow-legged frog and western pond turtle could include harassment, injury, and mortality of individuals during construction activities near the creek.

Indirect impacts could result from the degradation of aquatic habitat and water quality due to erosion and sedimentation, accidental fuel leaks or spills, and the removal of vegetation along the creek. Implementation of BMPs would ensure that impacts on aquatic habitat would be less than significant. Although the potential for direct impacts is low, the potential direct impacts could be significant if individual frogs or turtles are wounded or killed. Implementation of Mitigation Measure 2 would reduce the potential for direct impacts and ensure that impacts on these species are less than significant.

Direct impacts on nesting special-status and migratory bird species could occur if active nests are destroyed during construction or if construction activities disturb nesting or breeding activities. These types of impacts could result from vegetation removal along Oak Hill Road or Squaw Hollow Creek prior to bridge installation or other construction activities near active nest sites. Indirect impacts from human activity and noise can result in the incidental loss of fertile eggs or nestlings or otherwise lead to the abandonment of nests or young, if active nests are present in the immediate vicinity of the construction area. Impacts on nesting birds would be significant if nesting activity is disrupted. Implementation of Mitigation Measure 3 would reduce the potential for adverse impacts on nesting migratory birds during construction, and impacts would be less than significant.

Mitigation Measure 1: Implement measures to prevent the spread of invasive plant species.

The County will require its contractor to implement the following measures to prevent the spread of invasive plant species into the project area:

- All equipment used for off-road construction activities will be weed-free prior to entering the project area.
- If project implementation calls for mulches or fill, they will be weed free.
- Any seed mixes or other vegetative material used for re-vegetation of disturbed areas will consist of locally adapted native plant materials.
- All temporary disturbance areas (e.g., staging areas) will be identified on construction drawings/plans and the boundaries will be delineated in the field with flagging prior to the initiation of construction activities.
- All temporarily disturbed areas will be returned to pre-project conditions upon completion of construction and will be re-vegetated with an assemblage of native riparian, wetland, and upland vegetation suitable for the area. These areas will be properly protected from washout and erosion using appropriate erosion control devices including coir netting, hydroseeding, and revegetation. In sloped areas, additional erosion control measures will be applied, including erosion control blankets and biodegradable fiber rolls.

Mitigation Measure 2: Implement construction measures to reduce impacts on foothill yellow-legged frog and western pond turtle.

The County and/or its contractor will implement the following measures to avoid or minimize project-related impacts on foothill yellow-legged frog and western pond turtle:

- Environmental awareness training will be conducted by a qualified biologist prior to onset of the work for construction personnel to brief them on how to recognize foothill yellow-legged frog, western pond turtle, and other special-status animals that may occur in the project area.
- To avoid potential injury or mortality to foothill yellow-legged frogs or western pond turtle using vegetated areas for cover along Squaw Hollow Creek, initial vegetation clearing (i.e., removal of small trees, shrubs, brush, and tall dense grasses) along Squaw Hollow Creek will be done manually using hand tools (e.g., chainsaw, lopper, weed wacker). The vegetation will be cut to ground level and be removed from the work area by hand.
- Squaw Hollow Creek outside the work area will be staked, flagged, or signed to avoid encroachment by equipment and construction crews. The number of access routes, size of the staging area, and the total area of impact will be limited to the minimum necessary to achieve the proposed project goal. This goal includes locating access routes and construction areas outside of the creek to the maximum extent practicable. The flagged areas will confine access routes and construction areas to the minimum area necessary to complete construction and minimize the impact on natural habitats in the project area.
- All refueling and maintenance of equipment and vehicles will occur at least 50 feet from water bodies and will not occur at a location where a spill would drain directly toward the creek. Prior to the onset of work, the County will ensure that a spill prevention and clean-up plan is in place for prompt and effective response to any accidental spills. All workers will be informed of the importance of preventing spills and of the appropriate measures to take should a spill occur.
- Appropriate BMPs to protect water quality and control erosion will be implemented.
- During construction activities, all trash that may attract predators will be properly contained, removed from the work site, and disposed of regularly. Following construction, all trash and construction debris will be removed from work areas.
- Upon completion of construction activities, any diversions or barriers to flow will be removed in a manner that would allow flow to resume with the least disturbance to the substrate. Alteration of the streambed will be minimized to the maximum extent possible.
- If foothill yellow-legged frogs or western pond turtles or their nests are encountered in the project area during construction and will be harmed by construction activities, work will stop in the area and the County will notify the California Department of Fish and Wildlife (CDFW). Upon authorization from CDFW, a qualified biologist may relocate the individual(s) the shortest distance possible to a location containing habitat outside of the work area. If a pond turtle nest is discovered during construction activities, a qualified biologist will flag the site and determine if construction activities can avoid affecting the nest. If the nest cannot be avoided, it will be excavated and relocated at a suitable location outside of the construction impact zone by a qualified biologist in coordination with CDFW.

Mitigation Measure 3: Conduct pre-construction surveys for nesting birds and establish construction-free buffer zones around active nest sites.

The County and/or its contractor will implement the following measures to minimize or avoid project-related effects on nesting migratory and special-status birds:

- To deter cliff swallows from nesting under the existing bridge, the County will install an exclusionary device (e.g., netting) around the bridge prior to the initiation of the avian breeding season (before February 15) during the same year as bridge removal is proposed and after a qualified biologist has determined no nesting activity is present. The exclusionary device will remain in place until August 15 or until the bridge is demolished. The exclusionary device will be anchored such that swallows cannot attach their nests to the structure through gaps. If swallows begin building nests on the structure after installation of the exclusionary device, the County will coordinate with CDFW and will remove the nesting material in the presence of a qualified biologist to ensure that the destruction of an active nest does not occur. Bridge removal may be delayed until the nests are no longer active.
- Because construction activities cannot avoid the avian breeding season, the County will retain a qualified biologist to conduct a pre-construction survey of the project area and a 250-foot buffer, as access is available, to locate active bird nests and identify measures to protect the nests. The pre-construction survey will be performed between February 15 and August 31, but no more than 14 days prior to the implementation of construction activities (including staging and equipment access). If a lapse in construction activities for 14 days or longer occurs, another pre-construction survey will be performed.
- If active nests are found during the pre-construction survey, the County will coordinate with a qualified biologist and CDFW, as necessary, on additional protection measures, such as establishment of a buffer around the nest tree. No construction activity will be conducted within this zone during the nesting season (February 15 and August 31) or until such time that the biologist determines that the nest is no longer active or the nesting activity would not be disrupted. The buffer zone will be marked with flagging, stakes, or other means to mark the boundary. All construction personnel will be notified of the existence of the buffer zone and will avoid entering the buffer zone during the nesting season.

b, c) ***Potentially Significant Impact Unless Mitigation Incorporated.*** Construction of the new bridge abutments and installation of the diversion dam and piping would require the placement of fill material (e.g., concrete for the abutments, dam materials) into Squaw Hollow Creek and the adjacent riparian wetlands. Overall, the project has been designed to minimize impacts on Squaw Hollow Creek and the riparian wetlands to the greatest extent feasible.

Instream construction in Squaw Hollow Creek would occur during the summer months when flows are lowest and after installation of a diversion dam and pipeline to dewater the work area (about 100 feet of the creek). The diversion dam and pipeline would divert creek flow through the work area. The temporary diversion dam would affect less than 0.001 acre or 18 linear feet of the creek. Placement of the new abutments and rock slope protection could result in the permanent discharge of fill into approximately 0.01 acre (40 linear feet) of Squaw Hollow Creek and less than 0.01 acre of riparian wetlands. Removal of the existing bridge abutments would restore approximately 0.001 acre (23 linear feet) of the creek just east/upstream of the new bridge.

BMPs would be implemented during construction activities to protect water quality in Squaw Hollow Creek. The modified roadway could result in a net loss of wetlands, and other construction activities in waters of the United States could result in significant impacts. Compliance with the terms of a Nationwide Permit, Water Quality Certification, and Streambed Alteration Agreement, if necessary, and implementation of Mitigation Measure 4,

which requires compensatory mitigation for the loss of wetlands, would reduce impacts to less than significant.

Mitigation Measure 4: Comply with permit conditions and compensate for the loss of riparian wetlands in the project area.

- The County will comply with the terms of a Clean Water Act Section 404 permit issued by the Corps and Section 401 water quality certification issued by the Regional Water Quality Control Board for activities involving the discharge of fill material into Squaw Hollow Creek or riparian wetlands. For activities in and along Squaw Hollow Creek, the County will also comply with terms of a Streambed Alteration Agreement with the CDFW (if determined necessary by the CDFW). The actual project impacts will be calculated once final designs are available and during the permit application process. Prior to any discharge of dredged or fill material into Squaw Hollow Creek or the riparian wetlands, the required permits and authorizations will be obtained from the respective agencies. All terms and conditions of the required permits and authorizations will be implemented.
 - Based on the final designs, if unavoidable permanent impacts on wetlands in the project area are anticipated, the County will compensate for the loss of wetland functions through payment into an in-lieu fee program or mitigation bank identified in coordination with the Corps. The specific mitigation ratio will be identified in coordination with the Corps and will provide at least a 1:1 replacement ratio for impacts to wetlands.
 - All waters of the United States temporarily affected by project construction will be restored as close as practicable to their original conditions.
- d) **No Impact.** The project area does not encompass any wildlife nursery sites. The proposed project would not interfere with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors.
- e) **Less than Significant Impact.** Under the proposed project the County will retain as many trees in the project area as possible; however, the cut/fill for the proposed road realignment and installation of the new bridge could result in the removal of up to approximately 60 trees. Tree species which may be removed include alder (*Alnus* sp.), incense-cedar (*Calocedrus decurrens*), locust (*Robinia* sp.), oak (*Quercus* spp.), and pine (*Pinus* spp.). Approximately 12 oak trees ranging in size from 6 to 33 inches diameter at breast height (DBH), and 48 of the other tree species (i.e., alder, incense-cedar, locust, and pine) which measure between 6 and 60 inches DBH would be removed as a result of the proposed project. The tree species that are slated for removal are common in the area, and their removal will not result in a significant reduction of trees in the general project area. Furthermore, the removal of approximately 60 trees will neither significantly alter the existing landscape, nor alter the overall visual setting of the project area given the commonality of the tree species which are slated for removal. As such, the proposed project will not remove a significant amount of trees, or significantly alter the existing landscape and visual setting.

The alder, cedar, locust, and pine trees which may be removed as a result of the proposed project are not protected under local ordinances or policies. However, the 12 oak trees which may be removed are protected under the County's proposed Oak Resources Conservation Ordinance (Ordinance), which is anticipated to be instated in 2017. The Ordinance as it is currently defined, protects individual native oak trees with a single trunk diameter measuring between 6 and 36 inches in DBH; or for trees with multiple trunks, a cumulative DBH

measuring between 10 and 36 inches. Heritage trees under the Ordinance are defined as any native oak tree with a trunk(s) measuring greater than 36 inches DBH. Per Section 130.039.050 D of the proposed Ordinance, County road projects including widening and realignment projects which are necessary to protect public health are exempted from the Ordinance. Therefore, permitting and mitigation for the removal of the approximately 12 oak trees is not required for the proposed project. Given the removal of oak trees will not conflict with local policies or ordinances, the impact is considered to be less than significant.

- f) **No Impact.** No known, adopted, state, regional, or federal habitat conservation plans or Natural Community Conservation Plans apply within the project area.

V. CULTURAL RESOURCES — Would the project:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a) Cause a substantial adverse change in the significance of a historical resource as identified in Section 15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Disturb any human remains, including those interred outside of formal cemeteries?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Cause a substantial adverse change in the significance of a Tribal Cultural Resource as defined in Public Resources Code Section 21074?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Environmental Setting

Prior to the large-scale emigration of Euro-Americans beginning in the middle decades of the 19th century, Native American groups identified as the Southern Maidu or Nisenan inhabited the Pleasant Valley region. Traditionally, the southern boundary of Nisenan territory was to the south of present-day Highway 50. Although cultural group boundaries were almost never as well-defined as depicted in historic references and today’s literature, the project area was almost certainly associated more with the Nisenan than the Miwok to the south. Traditionally, this territory covered the area from Sacramento in the southwest, east to the Cosumnes River and up the foothills to the Sierra Nevada crest, north along the crest to the headwaters of the North Fork of the Yuba River, west along the Yuba River to the Feather River just above present day Marysville, and south to the confluence of the Feather River and the Sacramento River.

The Nisenan adopted a loose political organization with six primary tribelet centers based around several main villages, with smaller settlements and temporary camps as satellites. The area between the Cosumnes River and the South Fork of the American River, particularly the area around modern-day Placerville, was controlled by one such tribelet. In the foothills, villages were located on large flats near creeks or on ridges. Buildings in these villages included conical shaped houses covered in bark, skins, and brush; acorn granaries; large earth-covered semi-subterranean dance houses; and brush shelters.

Bedrock mortar stations were also found within or near settlements. Three years after the discovery of gold at Sutter's sawmill on the American River in 1848, the entirety of the Nisenan territory was occupied by miners and settlers.

Due to the discovery of gold in the mid-1800s, El Dorado County became a focus of placer mining, and economic ventures in lumber and agriculture began to appear to support the mining. The discovery of gold created a rapid influx of fortune seekers and settlers pursuing gold or building farms, towns, and supporting infrastructure. During the late 19th and early 20th centuries, the foothills were primarily an agricultural region dotted with stock raising ranches. During this time the main economic theme of the area focused on agriculture, particularly livestock grazing. By the mid-20th century, urban in-filling of the Sierra Nevada foothills had re-defined the modern landscape from rural agriculture to suburban community.

Archived records, historical documents, and prior investigations identify three previously documented cultural resources sites that reflect prehistoric, ethnographic, and historic-era occupation of the general area within 0.5 mile of the project area (North State Resources, Inc. 2016a). Oak Hill Road at Squaw Hollow Creek bridge (No. 25C0096) is not eligible for listing as a historic bridge. The former Hoyt Ranch and a prehistoric/ethnographic and possible historic-era site are adjacent to the project area. The prehistoric/ethnographic site may be associated with a former Native American village in the general area, and buried or previously undocumented cultural resources associated with former uses may be encountered in the area.

NSR, on behalf of the County, contacted the Native American Heritage Commission (NAHC) and local Native American groups and individuals. The response from the NAHC indicated that there are no cultural resources or areas of sensitivity on file within the project site and listed fourteen Native American organizations and individuals who may have knowledge of cultural resources in the project area. On August 19, 2015, NSR sent outreach letters to each of the fourteen groups and individuals listed by the NAHC in order to determine if they had any interest in or potential concerns with the proposed project. NSR also sent outreach letters to the Wilton Rancheria which had previously requested notification of projects in El Dorado County. Responses were received from representatives from Shingle Springs Band of Miwok Indians, United Auburn Indian Community (UAIC), and Wilton Rancheria.

On April 28, 2016, a meeting was held at the project site with representatives from Shingle Springs Band of Miwok Indians, UAIC, and Wilton Rancheria. At that time, it was concurred that Shingle Springs Band of Miwok Indians would take the lead for tribal coordination on the proposed project on behalf of the tribes. Subsurface testing was proposed to rule out the presence of any buried cultural deposits within the project area.

NSR conducted an Extended Phase I (XP-1) investigation on November 11, 2015 and September 16, 2016 to determine the presence/absence of buried cultural deposits in the project area. The XP-1 investigation was conducted where the greatest amount ground disturbance would occur during project construction. A tribal monitor from UAIC was present during the 2015 investigation and a monitor from the Shingle Springs Band of Miwok Indians was present during the 2016 investigation. Results of the XP-1 investigation determined that no archaeological materials or potentially sensitive soil deposits or formations are located in the project area.

The County provided documentation of the result of the XP-1 investigation to the Shingle Springs Band of Miwok Indians, UAIC, and Wilton Rancheria on December 2, 2016. On December 6, 2016, the County sent a letter to the Shingle Springs Band of Miwok Indians identifying the proposed mitigation measure for cultural resources and requesting any comments by December 18, 2016. Letters requesting comments on the proposed mitigation measure for cultural resources were sent to the UAIC and Wilton

Rancheria on December 8, 2016. Shingle Springs Band of Miwok Indians responded that they do not have any comments of concerns regarding the proposed mitigation measure. UAIC responded by email commenting that the proposed mitigation measure does not require a tribal monitor to be present and asked Shingle Springs, as the Tribal Lead, to request to have a tribal monitor present. Wilton Rancheria responded by letter dated December 20, 2016. The Wilton Rancheria letter did not address the proposed mitigation measure, but requested copies of cultural resources reports and other cultural resources information. The County had previously provided Wilton Rancheria with available cultural resources information on December 2, 2016.

Discussion of Impacts

- a, b) ***Potentially Significant Impact Unless Mitigation Incorporated.*** Archival and field investigations did not identify cultural resources within the project area; however one cultural resource, a former Native American village and gathering area, is located near the project. In order to fully protect the sensitive area during construction, the County will require the installation of exclusionary fencing along the east side of Oak Hill Road south of the creek to prevent ground disturbance outside the area of direct impact (refer to Figure 2). In addition, the County would require compliance with its standard contract provisions, including halting construction in the vicinity of a potential cultural resource find and notifying the County to allow evaluation of the resource by a qualified archaeologist prior to resuming construction. To ensure protection of these resources, the County will require implementation of Mitigation Measure 5, as described below, which would reduce the potential for impacts to less than significant.

Mitigation Measure 5: Monitor ground-disturbing activities and immediately halt construction activities if any cultural materials are discovered and implement a treatment plan to protect exposed cultural resources.

- The County will retain a qualified archaeologist to monitor ground-disturbing activities associated with the proposed project and will require its contractor to implement a cultural resources and burial treatment plan in the event of discovery of cultural resources. The qualified archaeologist will prepare the plan in coordination with the County, Caltrans archaeologist, and Native American tribe(s) interested in the project. The plan will describe specific measures to evaluate and re-bury potential artifacts, human remains, or other cultural resources exposed during ground disturbance.
 - The County will coordinate with the Shingle Springs Band of Miwok Indians to retain a tribal monitor during ground-disturbing activities associated with the proposed project.
- c) ***No Impact.*** Paleontological resources in El Dorado County are associated with limestone cave deposits, deposits associated with the Mehrten formation, and Pleistocene channel deposits (El Dorado County 2004). These types of deposits and other unique geologic features are not present in the project area.
- d) ***Less than Significant Impact.*** Based on the prehistoric, ethnographic, and historic uses of the area and the current disturbed nature of the project area, human remains are not expected to be encountered during construction activities. As a standard contract provision, construction crews will be required to cease work in the event of an unanticipated discovery of possible human remains and to notify the County, County Coroner, Native American Heritage Commission, or other appropriate entity to allow the remains to be evaluated and

properly treated if necessary. Compliance with the County’s standard provisions would ensure that any potential impacts on human remains are less than significant.

- e) **Potentially Significant Impact Unless Mitigation Incorporated.** Coordination with Native American representatives and tribal organizations, including the United Auburn Indian Community, Shingle Springs Rancheria, and Wilton Rancheria, revealed the importance of a nearby cultural site as a Tribal Cultural Resource. As described for a, b) above, the County will require implementation of Mitigation Measure 5 to ensure potential impacts on cultural resources are reduced to less-than-significant levels.

VI. GEOLOGY AND SOILS — Would the project:	Potentially Significant Impact	Potentially Significant Unless Mitigation Incorporated	Less than Significant Impact	No Impact
a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:				
i) Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
ii) Strong seismic ground shaking?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
iii) Seismic-related ground failure, including liquefaction?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
iv) Landslides?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in substantial soil erosion or the loss of topsoil?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Be located on a geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code, creating substantial risks to life or property?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

El Dorado County is located in the Sierra Nevada geomorphic province of California, east of the Great Valley province and west of the Basin and Range province. The Sierra Nevada province consists of Pliocene and older deposits that have been uplifted as a result of plate tectonics, granitic intrusion, and volcanic activity. Subsequent glaciation and additional volcanic activity are factors that led to the east-west orientation of stream channels (El Dorado County 2004). The underlying geologic unit of the project area and surrounding area is Paleozoic marine rocks (limestone or dolomite).

Seismicity and Fault Systems

Seismicity is defined as the geographic and historical distribution of earthquake activity. Seismic activity may result in geologic and seismic hazards, including seismically induced fault displacement and rupture, ground shaking, liquefaction, lateral spreading, landslides, avalanches, and structural hazards. Based on historical seismic activity and fault and seismic hazards mapping, El Dorado County is considered to have relatively low potential for seismic activity (El Dorado County 2003). No active faults have been mapped in the county, and none of the known inactive faults has been designated as an Alquist-Priolo Earthquake Fault Zone. The distribution of known faults in El Dorado County is concentrated in the western portion of the county, with several isolated faults in the central county area and the Lake Tahoe Basin. The nearest fault to the project area is the inactive Western Branch of the Melones Fault Zone, approximately 1 mile to the west (El Dorado County 2004).

Soils

Soil types in the project area include Auberry very rocky coarse sandy loam, Josephine-Mariposa gravelly loams, and mixed alluvial land as described below (Natural Resources Conservation Service 2015).

- **Auberry very rocky coarse sandy loam, 30 to 50 percent slopes:** The Auberry series consists of moderate depth, well drained soils that formed from weathered granite and/or granodiorite. This soil type occurs in the southern portion of the project area and has a moderate expansion potential.
- **Josephine-Mariposa gravelly loams, 15 to 30 percent slopes:** The Josephine-Mariposa series consists of shallow, well drained soils that formed from weathered metamorphic rock, schist, or slate. This soil type occurs in the northern portion of the project area and has a moderate expansion potential.
- **Mixed alluvial land, 2 to 5 percent slopes:** Mixed alluvial land consists of moderate depth, somewhat poorly drained soils that formed from volcanic and sedimentary rock. This soil type occurs in the central portion of the project area and has a low expansion potential.

Discussion of Impacts

- a-i,iii,iv) **No Impact.** The project area is not near any Alquist-Priolo faults, and the potential for seismic-related ground failure or landslides is considered low based on soil and geologic conditions. The proposed project would not expose people to seismic-related soil or geologic hazards.
- a-ii) **Less than Significant Impact.** Seismic activity in the region could cause ground shaking in the project area. The risk of seismic activity occurring would not change with the implementation of the proposed project. The proposed project, specifically the new bridge, would be designed in accordance with Caltrans and California Building Code requirements for seismically active regions. Earthquake activity would have a negligible effect on the new bridge and road, resulting in less-than-significant impacts on public safety.
- b) **Less than Significant Impact.** The proposed project would require grading and earthwork as part of the road improvements. Approximately 3,000 cubic yards of material would be excavated, and approximately 4,000 cubic yards of material may be imported for fill. As described in the project description (Section 2.3), the contractor would comply with the El Dorado County Grading Ordinance and Storm Water Management Plan for Western El

Dorado County and would implement BMPs to reduce the potential for soil erosion during construction activities. Implementation of these BMPs would ensure that impacts from soil erosion are less than significant.

- c) **Less Than Significant Impact.** The project area is not in an area of geologic or soil instability; however, a steep hillside is present along the western side of Oak Hill Road south of the creek. A retaining wall, approximately 200 feet long, with a drainage swale may be installed along the west side of Oak Hill Road, south of the existing bridge, to stabilize this steep slope and minimize the risk of landslide, resulting in a less-than-significant impact.
- d) **Less Than Significant Impact.** The soil types underlying the project area are considered to be moderately expansive. Areas to receive fill would be cleared, scarified, and re-compacted to minimize ground settlement, resulting in a less-than-significant impact.
- e) **No Impact.** The project does not involve construction of septic tanks or wastewater disposal systems.

VII. HAZARDS AND HAZARDOUS MATERIALS —					
Would the project:		<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a)	Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b)	Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c)	Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d)	Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e)	For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f)	For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing or working in the project area?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g)	Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

VII. HAZARDS AND HAZARDOUS MATERIALS —	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
Would the project:				
h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Environmental Setting

Hazardous materials and waste are substances that are considered toxic, ignitable, corrosive, or reactive (as defined in California Code of Regulations, Title 22, Sections 66261.20-66261.24). The release of hazardous materials into the environment could contaminate soils, surface water, and groundwater supplies. Under Government Code Section 65962.5, the California Department of Toxic Substances Control maintains a list of hazardous substance sites. This list, referred to as the “Cortese List,” includes CALSITE hazardous material sites, sites with leaking underground storage tanks, and landfills with evidence of groundwater contamination. In addition, the El Dorado County Environmental Management Department maintains records of toxic or hazardous material incidents, and the Central Valley Regional Water Quality Control Board (RWQCB) maintains files on hazardous material sites. Most hazardous materials regulation and enforcement in El Dorado County are overseen by the El Dorado County Environmental Management Department, which refers large cases of hazardous materials contamination or violations to the RWQCB and the State Department of Toxic Substances Control. Other agencies, such as the El Dorado County AQMD and the federal and state Occupational Safety and Health Administrations, may also be involved when issues related to hazardous materials arise.

No hazardous substance sites from the Cortese List have been identified in the project area and none are within 1 mile (California Department of Toxic Substances Control 2016).

The project area lies within the State Responsibility Area with regards to fire protection, which means the State provides fire response services. No federal lands are in the project area. Fire hazard can be defined as the amount, condition, and structure of fuels that will burn if a fire enters an area. The project area is designated by the California Department of Forestry and Fire Protection (2007) as having a moderate to very high fire hazard safety rating.

Discussion of Impacts

- a, b) ***Less Than Significant Impact.*** Small amounts of hazardous materials would be used during construction activities for equipment maintenance (e.g., fuel and solvents) and roadway resurfacing. Hazardous materials may also be stored in staging areas. Use of hazardous materials would be limited to the construction phase and would comply with applicable local, state, and federal standards associated with the handling and storage of hazardous materials. Construction measures and BMPs would reduce the potential for a hazardous materials spill to occur and would minimize impacts if a spill were to happen. In addition, as described in the project description (Section 2.4), the contractor will be required to prepare a storm water pollution prevention plan or water pollution control plan that identifies project-specific BMPs that would be implemented in accordance with County and Caltrans requirements, which would further reduce the potential for a hazardous material spill.

- c, d, e, f) **No Impact.** The project area is not within 0.25 mile of a school or an airport. The proposed project would not expose people to hazards associated with airports or hazardous waste site activity.
- g) **Less Than Significant Impact.** The proposed project would not interfere with an adopted emergency response plan or emergency evacuation plan. Traffic control would be provided on Oak Hill Road during construction. One controlled 10-foot-wide traffic lane would be maintained throughout construction to allow vehicle traffic across the bridge. As stated in the project description (Sections 2.3 and 2.4), the County or its construction contractors will conduct early coordination with law enforcement and emergency service providers to ensure minimal disruption to service during construction. In addition, access to adjacent properties will remain open at all times during the construction period.
- h) **Less Than Significant Impact.** Due to the very high fire hazard rating in portions of the surrounding area, construction activities, particularly the use of construction equipment and any welding activities, have the potential to result in the ignition of a fire. As a standard contract provision, the County would require a fire plan to reduce the potential for accidental ignitions. Water used for dust control would help maintain soil moisture and provide a source of water for extinguishing a fire.

The proposed project would not alter the potential for wildfire ignitions over the long term. The fire hazard rating of the area would not be altered by the project, and the project would not expose people and/or structures to a significant risk of loss, injury, or death involving wildland fires over the long term.

VIII. HYDROLOGY AND WATER QUALITY —		<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
Would the project:					
a) Violate any water quality standards or waste discharge requirements?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
d) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

VIII. HYDROLOGY AND WATER QUALITY — Would the project:		<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
e)	Create or contribute runoff water that would exceed the capacity of existing or planned storm water drainage systems or provide substantial additional sources of polluted runoff?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
f)	Otherwise substantially degrade water quality?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g)	Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
h)	Place within a 100-year flood hazard area structures which would impede or redirect flood flows?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
i)	Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
j)	Inundation of seiche, tsunami, or mudflow?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

The project area is in the South Fork American River U.S. Geological Survey Hydrologic Map Unit (Map Unit Number 18020129), which is part of the Sacramento River below Shasta Dam basin (U.S. Geological Survey, 2014). Squaw Hollow Creek, a perennial stream that flows westerly through the project area, is the primary drainage feature in the project area. Squaw Hollow Creek originates a few miles upstream and is fed by Crawford Ditch and Clear Creek. From the project area, it flows approximately 12.5 miles downstream in a westerly direction through a network of watercourses into the Middle Fork Cosumnes River. Beneficial uses of the Cosumnes River, as identified in the Basin Plan for the Sacramento River and San Joaquin River Basins (Central Valley Regional Water Quality Control Board 2011), include municipal and domestic supply, irrigation, stock watering, contact recreation, canoeing and rafting, other noncontact recreation, warm and cold freshwater habitat, warm migration habitat, warm and cold spawning habitat, and wildlife habitat. Squaw Hollow Creek is not listed as an impaired water body under Section 303(d) of the Clean Water Act (Central Valley Regional Water Control Board 2010).

The project area is in Zone X, which is outside the 100-year floodplain (Federal Emergency Management Agency 2008).

Discussion of Impacts

- a) ***Less than Significant Impact.*** Construction activities would disturb and expose soil within the stream channel beneath the bridge and at the location of the diversion dam. These activities could discharge sediment into runoff during precipitation or storm events, which could be carried into downstream creeks and rivers and affect water quality. As a standard contract requirement, the County would require the contractor to comply with the County's Grading Ordinance and Storm Water Management Plan for Western El Dorado County, which requires preparation of a site-specific storm water pollution prevention plan or water

pollution control plan. BMPs will be implemented during construction activities to minimize discharge of pollutants from construction activities. BMPs may include those related to structure demolition/removal over or adjacent to water, temporary stream crossings, stream bank stabilization, clear water diversions, material equipment use over water, and others as applicable. Implementation of BMPs in accordance with County and Caltrans requirements and construction activities during the drier summer months would ensure project impacts on water quality are less than significant.

- b) **No Impact.** The proposed project would not require the use of groundwater or affect groundwater recharge in the project area.
- c, d, e) **Less Than Significant Impact.** The proposed project would require the placement of a diversion dam to facilitate temporary dewatering of approximately 100 linear feet of Squaw Hollow Creek during construction of the new bridge. A temporary alteration of drainage patterns in the dewatered area would occur during construction, but the dam would be removed at the end of the construction season to restore flows to normal conditions. The dam is not expected to create flooding because it would be in place only when stream flows are lowest. The new bridge and wider roadway approaches would result in a minor increase in impervious surface area, which would result in a negligible increase in surface runoff entering the creek. BMPs would be implemented during construction to reduce the potential for erosion. The temporary alteration of Squaw Hollow Creek flows and additional impermeable surface area would result in less-than-significant impacts on water quality and flooding.
- f) **No Impact.** The proposed project would not have other water quality impacts beyond those discussed under item a) above and would not contribute runoff to a storm drain system.
- g, h, i, j) **No Impact.** The proposed project is outside the 100-year flood zone and would not expose people or structures to risks from flooding or inundation by seiche, tsunami, or mudflow.

IX. LAND USE AND PLANNING – Would the project:	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a) Physically divide an established community?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Conflict with any applicable habitat conservation plan or natural community conservation plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

The project area is in unincorporated El Dorado County approximately 4 miles south of Placerville. Land uses in the vicinity of the project area include residential uses, pastureland, and open space. The project area is designated for Rural Residential and Low Density Residential (El Dorado County 2015). The El Dorado County General Plan provides policies and implementation strategies for management of the

resources in the unincorporated area, and the Zoning Ordinance provides direction on allowable uses and facilities in each zone. No habitat conservation plans have been adopted for the area. The County is in the process of preparing an Integrated Natural Resources Management Plan, but it has not yet been adopted.

Discussion of Impacts

- a) **No Impact.** The proposed project involves the replacement of an existing bridge and roadway improvements. The project would not physically divide an established community.
- b, c) **No Impact.** The proposed project would not conflict with the El Dorado County General Plan. The proposed road improvements are consistent with the Circulation Element of the General Plan, and the project is included in the El Dorado County Capital Improvement Program, adopted by the County Board of Supervisors. No habitat conservation plans or natural community conservation plans have been adopted for the project area.

X. MINERAL RESOURCES — Would the project:	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan, or other land use plan?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

El Dorado County in general is considered a mining region capable of producing a wide variety of mineral resources. Metallic mineral deposits, including gold, are considered the most significant extractive mineral resources. The project area is not in an important mineral resource area, as depicted in the General Plan (El Dorado County 2004).

Discussion of Impacts

- a, b) **No Impact.** The project area is not in or adjacent to any important mineral resource areas identified by the State of California or El Dorado County. Road and bridge improvements would not affect the availability of mineral resources of value to the state or region.

XI. NOISE — Would the project result in:	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a) Exposure of persons to or generation of noise levels in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
XI. NOISE — Would the project result in:				
b) Exposure of persons to or generation of excessive groundborne vibration or groundborne noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) A substantial permanent increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) A substantial temporary or periodic increase in ambient noise levels in the project vicinity above levels existing without the project?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport of public use airport, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f) For a project within the vicinity of a private airstrip, would the project expose people residing or working in the project area to excessive noise levels?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

The El Dorado County General Plan Noise Element identifies several policies that regulate construction-related noise and establish acceptable noise levels and standards. Policy 6.5.1.7 requires mitigation to keep non-transportation noise levels below acceptable standards identified in the General Plan. Policy 6.5.1.11 outlines standards for daytime construction and would apply to construction-related noise associated with the project (El Dorado County 2004). In residential communities, maximum noise levels for non-transportation sources are 70 decibels (dB) during daytime hours, 60 dB during evening hours, and 55 dB during nighttime hours.

Ambient noise levels in the project area and vicinity are primarily from vehicular traffic along Oak Hill Road. Sensitive receptors in the vicinity include residents along Oak Hill Road. The closest residences are adjacent to the northwestern and southeastern borders of the project area.

Discussion of Impacts

- a, d) ***Less Than Significant Impact.*** Construction activities would increase noise levels temporarily in the vicinity of the project area and may periodically exceed the noise standards in the General Plan. Actual noise levels would depend on the type of construction equipment involved, distance to the source of the noise, time of day, and similar factors. Noise levels for typical construction equipment that may be used are listed in Table 2. Few sensitive receptors are present near the project area. Construction would temporarily increase noise levels in the project area, ranging from about 76 to 88 dB at 50 feet from the activity. Residences more than 50 feet from the project area would be exposed to less noise as noise levels would be expected to attenuate (decrease) with distance from the source. Some noise would be masked by intervening vegetation and topography between the residences and construction activities. In addition, and as stated in the project description (Section 2.4), the project will comply with General Plan Policy 6.5.1.11 pertaining to construction noise. This would minimize potential

impacts associated with construction noise. Construction noise would be temporary and would not substantially increase noise levels in the project area for extended periods.

Table 2. Typical Construction-Related Noise Levels

Construction Equipment	Typical Noise Level (dB) 50 Feet from Source
Truck	88
Bulldozer	85
Concrete mixer	85
Grader	85
Loader	85
Concrete pump	82
Pump	76

Source: Federal Transit Administration 2006

- b) **Less Than Significant Impact.** Blasting is not expected but cannot be ruled out completely, depending on the nature of the subsurface rock that may be encountered. If blasting is required for bridge abutment installation, it would occur around the new bridge location and could result in periodic temporary generation of groundborne vibrations. Impacts from groundborne vibrations are not expected to cause vibration levels capable of affecting nearby structures based on the distance of the new bridge from residences (approximately 250 feet).
- c) **No Impact.** Because the proposed project is not traffic-inducing (i.e., traffic levels will not increase), ambient noise levels in and around the project area would not permanently increase as a result of project implementation. Traffic noise along Oak Hill Road would be reduced with the improved roadway geometry, new pavement, and wider bridge.
- e, f) **No Impact.** The project area is not near a public or private airport or airstrip. The proposed project would not expose people to noise from airport activities.

XII. POPULATION AND HOUSING — Would the project:	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c) Displace substantial numbers of people necessitating the construction of replacement housing elsewhere?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

The project area is in unincorporated El Dorado County near the community of Tiger Lily. Several residences occur in the project vicinity.

Discussion of Impacts

- a-c) **No Impact.** The proposed project includes a bridge replacement and associated road improvements to conform to the new, wider bridge. The new bridge would remain two lanes and, thus, would not increase traffic capacity and induce population growth directly or indirectly. The proposed project would not displace any housing or people.

XIII. PUBLIC SERVICES — Would the project:	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services:				
Fire protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Police protection?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Schools?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Parks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Other public facilities?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

The proposed project is in a rural area of El Dorado County. Fire and police protection services are provided by the El Dorado County Fire Protection District and El Dorado County Sheriff, respectively. These service providers may use Oak Hill Road to access residential areas near project area. No schools, parks, or other public facilities occur in the immediate vicinity. The County maintains public facilities, including Oak Hill Road.

Discussion of Impact

- a) **No Impact.** The proposed project would not include elements that would increase the human population or presence in the area, nor would it be associated with population changes or new residential development. Therefore, additional governmental facilities would not be needed for fire protection, police protection, schools, parks, or other public facilities as a direct or indirect result of the project. The project would improve access across Squaw Hollow Creek, and minor traffic delays on Oak Hill Road would not impede emergency access to nearby properties, as the construction contract special provisions will require that a traffic

management plan be prepared that will include early coordination with emergency response providers to ensure minimal disruption to service during construction.

	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
XIV. RECREATION — Would the project:				
a) Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facility would occur or be accelerated?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b) Include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

No designated recreation or park facilities occur in or near the project area.

Discussion of Impacts

- a, b) **No Impact.** Road and bridge improvements would not affect the use of existing neighborhood and regional parks or other recreational facilities in the region. The proposed project does not include the construction of any recreational facilities, nor would it require the expansion of existing recreational facilities.

	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
XV. TRANSPORTATION/TRAFFIC — Would the project:				
a) Cause an increase in traffic which is substantial in relation to the existing traffic load and capacity of the street system (i.e., result in a substantial increase in either the number of vehicle trips, the volume-to-capacity ratio on roads, or congestion at intersections)?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
b) Exceed, either individually or cumulatively, a level of service standard established by the county congestion management agency for designated roads or highways?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
d) Substantially increase hazards to a design feature (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e) Result in inadequate emergency access?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

XV. TRANSPORTATION/TRAFFIC — Would the project:	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
f) Result in inadequate parking capacity?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
g) Conflict with adopted policies, plans, or programs supporting alternative transportation (e.g., bus turnouts, bicycle racks)?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Environmental Setting

Oak Hill Road is a two-lane regional road with an average daily traffic count of about 2,000 trips near the project area. No designated bike routes pass through the project area, and none are proposed along Oak Hill Road (El Dorado County Transportation Commission 2010). The nearest major crossroad, Pleasant Valley Road, is approximately 0.6 mile to the northeast of the project area.

Discussion of Impacts

- a, b) ***Less than Significant Impact.*** The proposed project is not designed to increase vehicle trips on Oak Hill Road; it is intended to improve traffic flow and traffic safety through the area by widening the bridge and modifying the roadway to match the new bridge. No road closures or detours are expected to be necessary during construction, but signs and short-term flagman may be used to alert travelers on nearby roads of construction activities. Although one controlled 10-foot-wide traffic lane would be maintained throughout construction to allow vehicle traffic across the bridge, construction-related activities may temporarily increase traffic delays on the road and across the bridge and could result in increased traffic on other roads in the area during construction. However, the effects would be temporary and limited to a maximum of 1.5 years. In addition, as described in the project description (Sections 2.3 and 2.4), traffic control measures would be in place during the construction phase to alert travelers to potential delays. Also, construction may be conducted at night to avoid major traffic impacts and would be coordinated with nearby residents. Project implementation would have a less-than-significant impact on traffic loads and level of service in the area.
- c) ***No Impact.*** The proposed project would not affect air traffic patterns and would have no effect on air traffic levels or safety.
- d) ***No Impact.*** The proposed project would not increase hazards due to a design feature or incompatible uses. Road and bridge improvements are expected to improve traffic safety.
- e) ***Less Than Significant Impact.*** Construction activities would require temporary lane closures during construction. Minor delays may be experienced for emergency access along Oak Hill Road or to the residences adjacent to the work area. As part of the traffic management plan required under the construction contract special provisions, the County or its construction contractor(s) will coordinate with law enforcement and emergency service providers prior to the start of construction to ensure that construction activities do not impair emergency services and law enforcement response. With implementation of these traffic management measures, emergency access impacts would be less than significant.
- f) ***No Impact.*** The proposed project does not involve on-street or off-street parking.

- g) **No Impact.** The proposed project would improve Oak Hill Road and bridge. It would not conflict with adopted policies for alternative transportation.

XVI. UTILITIES AND SERVICE SYSTEMS — Would the project:		<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a)	Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
b)	Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
c)	Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
d)	Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
e)	Result in a determination by the wastewater treatment provider which serves or may serve the project that it has adequate capacity to serve the project's projected demand in addition to the provider's existing commitments?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
f)	Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
g)	Comply with federal, state, and local statutes and regulations related to solid waste?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Environmental Setting

Utilities located within and adjacent to the project area include overhead electrical and telephone lines and an underground waterline. The closest landfill is the Western El Dorado Recovery System transfer and processing facility located near Pleasant Valley Road and Diamond Road in Diamond Springs, about 2.5 miles northwest of the project area (California Integrated Waste Management Board 2015). It has a permitted capacity of 400 tons per day and accepts commercial and residential waste throughout the week.

Discussion of Impacts

- a, b, d, e) **No Impact.** The proposed project would not generate wastewater or require a new water supply. No new wastewater or water facilities would be constructed or needed as part of the project.
- c) **Less than Significant Impact.** Roadside drainage would be modified and improved to match the new roadway and a drainage swale associated with a 200-foot-long retaining wall may be

installed on the west side of Oak Hill Road, south of the existing bridge. Construction of new water drainage facilities would result in minor soil disturbance and vegetation removal, and associated impacts would be less than significant.

- f, g) **Less than Significant Impact.** Solid waste generated by the proposed project would be limited to construction debris, including asphalt and concrete, and old bridge pieces. Disposal would occur at permitted landfills, such as the Western El Dorado Recovery System, in accordance with federal, state, and local regulations pertaining to waste disposal. Materials would be recycled or reused as feasible. The proposed project would not generate the need for a new solid waste facility, and impacts would be less than significant.

XVII. MANDATORY FINDINGS OF SIGNIFICANCE	<i>Potentially Significant Impact</i>	<i>Potentially Significant Unless Mitigation Incorporated</i>	<i>Less than Significant Impact</i>	<i>No Impact</i>
a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, reduce the number or restrict the range of a rare or endangered plant or animal or eliminate important examples of the major periods of California history or prehistory?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b) Does the project have impacts that are individually limited, but cumulatively considerable? (“Cumulatively considerable” means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects)?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c) Does the project have environmental effects that will cause substantial adverse effects on human beings, either directly or indirectly?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Discussion

- a) **Potentially Significant Unless Mitigation Incorporated.** Construction-related activities could result in impacts on sensitive biological resources. No important cultural resources would be affected. Standard construction practices and mitigation measures described in this Initial Study would be implemented to ensure minimal impacts to biological resources.
- b) **Potentially Significant Unless Mitigation Incorporated.** Other bridge replacement projects in the Squaw Hollow Creek watershed, including the Hanks Exchange Road at Squaw Hollow Creek Bridge (No. 25C0053) Replacement Project, and other road improvement projects along Oak Hill Road may be undertaken by the County or Caltrans in the future. These projects may result in cumulative impacts on streams, wetlands, and special-status wildlife species. With the implementation of standard construction practices described in the project description (Sections 2.3 and 2.4) and mitigation measures described for biological

resources, the project would result in individually minor impacts and would not contribute substantially to cumulative impacts, resulting in a less than significant impact.

- c) ***Less than Significant Impacts.*** The proposed project, particularly during the construction phase, would result in a variety of temporary impacts to human beings. Potential adverse effects would be related to air quality, noise, traffic, and wildfire hazards. The implementation of construction measures described in the project description (Sections 2.3 and 2.4) would ensure that construction-related impacts on human beings are less than significant, and no long-term impacts are anticipated.

4. DETERMINATION

This Initial Study has determined that in the absence of mitigation the proposed project could have the potential to result in significant impacts associated with the factors checked below. Mitigation measures are identified in this Initial Study that would reduce all potentially significant impacts to less-than-significant levels.

<input type="checkbox"/>	Aesthetics	<input type="checkbox"/>	Mineral Resources
<input type="checkbox"/>	Agricultural Resources	<input type="checkbox"/>	Noise
<input type="checkbox"/>	Air Quality	<input type="checkbox"/>	Population and Housing
<input checked="" type="checkbox"/>	Biological Resources	<input type="checkbox"/>	Public Services
<input checked="" type="checkbox"/>	Cultural Resources	<input type="checkbox"/>	Recreation
<input type="checkbox"/>	Geology and Soils	<input type="checkbox"/>	Transportation/Traffic
<input type="checkbox"/>	Hazards and Hazardous Materials	<input type="checkbox"/>	Utilities
<input type="checkbox"/>	Hydrology and Water Quality	<input checked="" type="checkbox"/>	Mandatory Findings of Significance
<input type="checkbox"/>	Land Use/Planning	<input type="checkbox"/>	

On the basis of this initial evaluation:

- I find that the project COULD NOT have a significant effect on the environment and a NEGATIVE DECLARATION will be prepared.
- I find that although the project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.
- I find that the project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.
- I find that the project MAY have a “Potentially significant impact” or “potentially significant unless mitigated” impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- I find that although the project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, nothing further is required.

Signature
Name and Title: Janet Postlewait, Principal Planner

Date

5. REPORT PREPARATION AND REFERENCES

5.1. Report Preparation

El Dorado County Community Development Agency, Transportation Division – CEQA Lead Agency

Janet Postlewait	Principal Planner
Donna Keeler	Senior Planner
Chandra Ghimire	Senior Civil Engineer
Dwight Anderson	Associate Civil Engineer

North State Resources, Inc.

Mark Wuestehube	Project Manager
Jed McLaughlin	Environmental Analyst/Planner
Anna Mae Starkey	Principal Investigator (Archaeology)
Len Lindstrand III	Senior Biologist
Nick Eide	Biologist

5.2. References

California Air Resources Board. 2013. Area Designation Maps: State and National. Available online at: <<http://www.arb.ca.gov/desig/adm/adm.htm>>. Accessed January 2016.

California Department of Conservation. 2012. Farmland Mapping and Monitoring Program. Available online at: <<http://www.conservation.ca.gov/dlrp/fmmp/Pages/Index.aspx>>. Accessed January 2016.

California Department of Forestry and Fire Protection. 2007. Fire Hazard Severity Zone in SRA. Available online at: <http://www.fire.ca.gov/fire_prevention/fhsz_maps_eldorado.php>. Accessed January 2016.

California Department of Toxic Substances Control. 2016. Cortese List data resources. Available online at: <<http://www.calepa.ca.gov/SiteCleanup/CorteseList>>. Accessed January 2016.

California Department of Transportation. 2011. California scenic highway mapping system: El Dorado County. Updated May 5, 2015. Available online at: <http://www.dot.ca.gov/hq/LandArch/16_livability/scenic_highways/scenic_hwy.htm>. Accessed January 2016.

California Department of Resources Recycling and Recovery. 2016. Solid Waste Information System: Western El Dorado Recovery Systems. Available online at: <<http://www.calrecycle.ca.gov/SWFacilities/Directory/09-AA-0004/Detail/>>. Accessed January 2016.

- Central Valley Regional Water Quality Control Board. 2010. USEPA Approved California 2008-2010 Section 303(d) List of impaired Waters. Available online at: <http://www.waterboards.ca.gov/centralvalley/water_issues/tmdl/impaired_waters_list/index.shtml>. Accessed January 2016.
- Central Valley Regional Water Quality Control Board. 2011. Fourth Edition of the Water Quality Control Plan (Basin Plan) for the Sacramento River and San Joaquin River Basins. Revised October 2011.
- El Dorado County. 2003. El Dorado County General Plan Draft Environmental Impact Report. Prepared by EDAW. State Clearinghouse No. 2001082030. May.
- El Dorado County. 2004. 2004 El Dorado County General Plan: A Plan for Managed Growth and Open Roads; A Plan for Quality Neighborhoods and Traffic Relief. Adopted July 19, 2004. Available online at: <http://www.edcgov.us/Government/Planning/Adopted_General_Plan.aspx>. Accessed January 2016.
- El Dorado County. 2005. Asbestos Review Areas, Western Slope, El Dorado County, California. Available online at: <<http://www.edcgov.us/Government/AirQualityManagement/Asbestos.aspx>>. Accessed January 2016.
- El Dorado County. 2014. Parcel Data Information System. Available online at: <http://www.edcgov.us/Government/Planning/Parcel_Data_Information_System.aspx>. Accessed January 2016.
- El Dorado County Transportation Commission. 2010. El Dorado County Bicycle Transportation Plan – 2010 Update. Available online at: <<http://www.edctc.org/3/CountyBikePlan2010.html>>. Accessed January 2016.
- El Dorado County Air Quality Management District. 2002. Guide to Air Quality Assessment: Determining the Significance of Air Quality Impacts under the California Environmental Quality Act. First Edition. February.
- Federal Emergency Management Agency. 2008. FEMA Map Service Center, Current FEMA Issued Flood Maps: El Dorado County, California, Incorporated Areas, Map no. 06017C0775E. Available online at: <<https://msc.fema.gov/portal>>. Accessed January 2016.
- Federal Transit Administration. 2006. Transit noise and vibration impact assessment. Washington, D.C. May.
- Governor’s Office of Planning and Research. 2008. Technical advisory: CEQA and climate change: Addressing climate change through California Environmental Quality Act Review. Sacramento, CA. Available online at: <<http://opr.ca.gov/docs/june08-ceqa.pdf>>. Prepared June 19, 2008. Accessed January 2016.
- Natural Resources Conservation Service. 2014. Web soil survey. El Dorado County, California. Available online at: <<http://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm>>. Accessed January 2016.

- North State Resources, Inc. 2015. Oak Hill Road at Squaw Hollow Creek Bridge (No. 25C0096) Replacement Project Delineation of Waters of the United States. Prepared for California Department of Transportation and El Dorado County. September 2015.
- North State Resources, Inc. 2016a. Oak Hill Road at Squaw Hollow Creek Bridge (No. 25C0096) Replacement Project Historical Property Survey Report, Archeological Survey Report, Extended Phase I Report, and ESA Action Plan. Prepared for California Department of Transportation and El Dorado County. October 2016.
- North State Resources, Inc. 2016b. Oak Hill Road at Squaw Hollow Creek Bridge (No. 25C0096) Replacement Project Natural Environment Study. Prepared for California Department of Transportation and El Dorado County. January 2016.
- U.S. Department of Agriculture. 1974. Soil survey of El Dorado Area, California: U.S. Department of Agriculture, Soil Conservation Service.
- U.S. Geological Survey. 2014. Hydrologic Unit Map (Based on USGS Water Supply Paper 2294). U.S. Department of the Interior, Geological Survey. Available online at: <http://water.usgs.gov/GIS/regions.html>. Accessed January 2016.
- Western Regional Climate Center. 2014. Historical Climate Information. Available online at: <http://www.wrcc.dri.edu/CLIMATEDATA.html>. Accessed January 2016.

APPENDIX A

Mitigation Monitoring and Reporting Plan

Mitigation Monitoring and Reporting Plan
for the
Oak Hill Road at Squaw Hollow Creek
Bridge (25C0096) Replacement Project

El Dorado County
Community Development Agency
Transportation Division
(CEQA Lead Agency)

January 2017

Adopted by Board of Supervisors on: _____

Introduction

Purpose

The El Dorado County Community Development Agency, Transportation Division (County) has prepared an Initial Study (IS) and Mitigated Negative Declaration (MND) for the proposed Oak Hill Road at Squaw Hollow Creek Bridge (25C0096) Replacement Project (proposed project). The County is developing plans to replace Bridge No. 25C0096 on Oak Hill Road at Squaw Hollow Creek. The proposed project is described in more detail in the IS/MND.

As described in the IS/MND, the project itself incorporates a number of measures to minimize adverse effects on the environment. The following measures will be contract provisions:

- Construction contract special provisions will require that a traffic management plan be prepared. The traffic management plan will include construction staging and traffic control measures to be implemented during construction to maintain and minimize impacts to traffic on nearby roads during construction. Minor traffic stoppages or delays on Oak Hill Road or nearby roads may be allowed if necessary during project construction to provide access for construction equipment and vehicles into the project area. No road closures or detours are expected to be necessary during construction, but signs and short-term flagman may be used to alert travelers on nearby roads of construction activities.
- Contract special provisions will require compliance with El Dorado County Air Quality Management District (AQMD) Rules 223 and 223-1 to minimize fugitive dust emissions.
- The contractor will be required to comply with the California Air Resources Board Airborne Toxic Control Measure at Title 17, California Code of Regulations, Section 93106 addressing the use of asbestos-containing materials in surfacing applications.
- Contract provisions will require compliance with environmentally sensitive area (ESA) action plan measures as described in the Historical Property Survey Report, Archeological Survey Report, Extended Phase I Report, and ESA Action Plan (Caltrans, January 2016) to ensure that project construction activities do not extend into areas where undocumented portions of an adjacent cultural resource site might extend. Measures include installing orange protective exclusionary fencing south of Squaw Hollow Creek, along the eastern side of Oak Hill Road and generally 10 feet outside of the easternmost extent of cut/fill associated with the project, as agreed upon by the County's Consulting Archaeologist, the Caltrans Archaeologist, and the County's Project Engineer and as delineated on Figure 2. The ESA measures will also be in effect for utility relocation, which may occur prior to construction.
- Contract provisions will require notification of the County and compliance with California Health and Safety Code Section 7050.5 and California Public Resources Code Sections 5097.5, 5097.9 et seq., regarding the discovery and disturbance of cultural materials or human remains should any be discovered during project construction.
- Contract provisions will require compliance with the El Dorado County Grading Ordinance and Storm Water Management Plan for Western El Dorado County and implementation of best management practices (BMPs) as identified in the National Pollutant Discharge Elimination System permit and/or Storm Water Management Plan. The contractor will be required to prepare a storm water pollution prevention plan or water pollution control plan that identifies project-specific BMPs that would be implemented in accordance with County and

Caltrans requirements. BMPs may include those related to structure demolition/removal over or adjacent to water, temporary stream crossings, stream bank stabilization, clear water diversions, material equipment use over water, and others as applicable.

- Contract provisions will require a fire safety plan to prevent fires from construction operations (such as welding).
- The County or its construction contractors will conduct early coordination with law enforcement and emergency service providers to ensure minimal disruption to service during construction.
- The County and its construction contractors will comply with the State of California Standard Specifications, written by Caltrans, for public service provision.
- Access to adjacent private properties will remain open at all times during the construction period.
- The proposed project will comply with General Plan Policy 6.5.1.11 pertaining to construction noise.

The IS/MND also identified four mitigation measures that are required to reduce potentially significant impacts on biological resources to levels that are less than significant. This Mitigation Monitoring and Reporting Plan (MMRP) describes a program for ensuring that these mitigation measures are implemented in conjunction with the project. The County, as the lead agency under the California Environmental Quality Act (CEQA), is responsible for overseeing the implementation and administration of this MMRP. The County will designate a staff member to manage the MMRP. Duties of the staff member responsible for program coordination will include conducting routine inspections and reporting activities, coordinating with the project construction contractor, coordinating with regulatory agencies, and ensuring enforcement measures are taken.

Regulatory Framework

California Public Resources Code Section 21081.6 and California Code of Regulations Title 14, Chapter 3, Section 15097 require public agencies to adopt MMRPs when they approve projects under an MND. The MMRPs must be adopted when a public agency makes its findings pursuant to CEQA so that the mitigation requirements can be made conditions of project approval.

Format of This Plan

The MMRP identifies the impacts and mitigation measures from the project IS/MND. Each impact discussed within this MMRP is numbered based on the sequence in which it is discussed in the IS/MND. The impact number corresponds with the specific mitigation measures. Mitigation measures are followed by an implementation description, the criteria used to determine the effectiveness of the mitigation, the timeframe for implementation, and the party responsible for monitoring the implementation of the measure.

Implementation of mitigation measures is ultimately the responsibility of the County; during construction, the delegated responsibility is shared by County contractors. Each mitigation measure in this plan contains a “Verified By” signature line, which will be signed by the County project manager when the measure has been fully implemented and no further actions or monitoring are necessary for the implementation or effectiveness of the measure.

Impacts and Associated Monitoring or Reporting Measures

Impact 1: **Degradation of habitats from invasive plant species.**

Mitigation Measure 1: *Implement measures to prevent the spread of invasive plant species.*

The County will require its contractor to implement the following measures to prevent the spread of invasive plant species into the project area:

- All equipment used for off-road construction activities will be weed-free prior to entering the project area.
- If project implementation calls for mulches or fill, they will be weed free.
- Any seed mixes or other vegetative material used for re-vegetation of disturbed areas will consist of locally adapted native plant materials.
- All temporary disturbance areas (e.g., staging areas) will be identified on construction drawings/plans and the boundaries will be delineated in the field with flagging prior to the initiation of construction activities.
- All temporarily disturbed areas will be returned to pre-project conditions upon completion of construction and will be re-vegetated with an assemblage of native riparian, wetland, and upland vegetation suitable for the area. These areas will be properly protected from washout and erosion using appropriate erosion control devices including coir netting, hydroseeding, and revegetation. In sloped areas, additional erosion control measures will be applied including erosion control blankets and biodegradable fiber rolls.

Implementation: The County will ensure its contractor implements the measures described above.

Effectiveness Criteria: The County will prepare and keep on file documentation verifying the implementation of the above referenced measures.

Timing: Construction Phase

Verified By: _____ Date: _____
County Project Manager

Impact 2: **Potential impacts on foothill yellow-legged frog and western pond turtle.**

Mitigation Measure 2: *Implement construction measures to reduce impacts on foothill yellow-legged frog and western pond turtle.*

The County and/or its contractor will implement the following measures to avoid or minimize project-related impacts on foothill yellow-legged frog and western pond turtle:

- Environmental awareness training will be conducted by a qualified biologist prior to onset of the work for construction personnel to brief them on how to recognize foothill yellow-legged frog, western pond turtle, and other special-status animals that may occur in the project area.
- To avoid potential injury or mortality to foothill yellow-legged frogs or western pond turtle using vegetated areas for cover along Squaw Hollow Creek, initial vegetation clearing (i.e.,

removal of small trees, shrubs, brush, and tall dense grasses) along Squaw Hollow Creek will be done manually using hand tools (e.g., chainsaw, lopper, weed wacker). The vegetation will be cut to ground level and be removed from the work area by hand.

- Squaw Hollow Creek outside the work area will be staked, flagged, or signed to avoid encroachment by equipment and construction crews. The number of access routes, size of the staging area, and the total area of impact will be limited to the minimum necessary to achieve the proposed project goal. This goal includes locating access routes and construction areas outside of the creek to the maximum extent practicable. The flagged areas will confine access routes and construction areas to the minimum area necessary to complete construction and minimize the impact on natural habitats in the project area.
- All refueling and maintenance of equipment and vehicles will occur at least 50 feet from water bodies and will not occur at a location where a spill would drain directly toward the creek. Prior to the onset of work, the County will ensure that a spill prevention and clean-up plan is in place for prompt and effective response to any accidental spills. All workers will be informed of the importance of preventing spills and of the appropriate measures to take should a spill occur.
- Appropriate BMPs to protect water quality and control erosion will be implemented.
- During construction activities, all trash that may attract predators will be properly contained, removed from the work site, and disposed of regularly. Following construction, all trash and construction debris will be removed from work areas.
- Upon completion of construction activities, any diversions or barriers to flow will be removed in a manner that would allow flow to resume with the least disturbance to the substrate. Alteration of the streambed will be minimized to the maximum extent possible.
- If foothill yellow-legged frogs or western pond turtles or their nests are encountered in the project area during construction and will be harmed by construction activities, work will stop in the area and the County will notify the California Department of Fish and Wildlife (CDFW). Upon authorization from CDFW, a qualified biologist may relocate the individual(s) the shortest distance possible to a location containing habitat outside of the work area. If a pond turtle nest is discovered during construction activities, a qualified biologist will flag the site and determine if construction activities can avoid affecting the nest. If the nest cannot be avoided, it will be excavated and relocated at a suitable location outside of the construction impact zone by a qualified biologist in coordination with CDFW.

Implementation: The County will retain the services of a qualified biologist to train construction crews and relocate special-status animals, if needed, and will ensure the contractor implements the measures described above.

Effectiveness Criteria: The County will prepare and keep on file documentation verifying the implementation of the above referenced measures.

Timing: Pre-Construction Phase and Construction Phase

Verified By: _____ Date: _____
County Project Manager

Impact 3: Potential impacts on nesting birds.

Mitigation Measure 3: Conduct pre-construction surveys for nesting birds and establish construction-free buffer zones around active nest sites.

The County and/or its contractor will implement the following measures to minimize or avoid project-related effects on nesting migratory and special-status birds:

- To deter cliff swallows from nesting under the existing bridge, the County will install an exclusionary device (e.g., netting) around the bridge prior to the initiation of the avian breeding season (before February 15) during the same year as bridge removal is proposed and after a qualified biologist has determined no nesting activity is present. The exclusionary device will remain in place until August 15 or until the bridge is demolished. The exclusionary device will be anchored such that swallows cannot attach their nests to the structure through gaps. If swallows begin building nests on the structure after installation of the exclusionary device, the County will coordinate with CDFW and will remove the nesting material in the presence of a qualified biologist to ensure that the destruction of an active nest does not occur. Bridge removal may be delayed until the nests are no longer active.
- Because construction activities cannot avoid the avian breeding season, the County will retain a qualified biologist to conduct a pre-construction survey of the project area and a 250-foot buffer, as access is available, to locate active bird nests and identify measures to protect the nests. The pre-construction survey will be performed between February 15 and August 31, but no more than 14 days prior to the implementation of construction activities (including staging and equipment access). If a lapse in construction activities for 14 days or longer occurs, another pre-construction survey will be performed.
- If active nests are found during the pre-construction survey, the County will coordinate with a qualified biologist and CDFW, as necessary, on additional protection measures, such as establishment of a buffer around the nest tree. No construction activity will be conducted within this zone during the nesting season (February 15 and August 31) or until such time that the biologist determines that the nest is no longer active or the nesting activity would not be disrupted. The buffer zone will be marked with flagging, stakes, or other means to mark the boundary. All construction personnel will be notified of the existence of the buffer zone and will avoid entering the buffer zone during the nesting season.

Implementation: The County will retain the services of a qualified biologist to conduct pre-construction surveys and will ensure its contractor implements the measures described above.

Effectiveness Criteria: The County will prepare and keep on file documentation verifying the implementation of the above referenced measures.

Timing: Pre-Construction Phase and Construction Phase

Verified By: _____ Date: _____
County Project Manager

Impact 4: Discharge of fill into and disturbance to waters of the United States (Squaw Hollow Creek and adjacent wetlands).

Mitigation Measure 4: Comply with permit conditions and compensate for the loss of riparian wetlands in the project area.

- The County will comply with the terms of a Clean Water Act Section 404 permit issued by the Corps and Section 401 water quality certification issued by the Regional Water Quality Control Board for activities involving the discharge of fill material into Squaw Hollow Creek or riparian wetlands. For activities in and along Squaw Hollow Creek, the County will also comply with terms of a Streambed Alteration Agreement with the CDFW (if determined necessary by the CDFW). The actual project impacts will be calculated once final designs are available and during the permit application process. Prior to any discharge of dredged or fill material into Squaw Hollow Creek or the riparian wetlands, the required permits and authorizations will be obtained from the respective agencies. All terms and conditions of the required permits and authorizations will be implemented.
- Based on the final designs, if unavoidable permanent impacts on wetlands in the project area are anticipated, the County will compensate for the loss of wetland functions through payment into an in-lieu fee program or mitigation bank identified in coordination with the Corps. The specific mitigation ratio will be identified in coordination with the Corps and will provide at least a 1:1 replacement ratio for impacts to wetlands.
- All waters of the United States temporarily affected by project construction will be restored as close as practicable to their original conditions.

Implementation: The County will submit the required documentation and comply with terms of the permits.

Effectiveness Criteria: The County will prepare and keep on file documentation verifying the implementation of the above referenced measures.

Timing: Pre-Construction Phase and Construction Phase

Verified By: _____ Date: _____

County Project Manager

Impact 5: Potential impacts on sensitive cultural resources.

Mitigation Measure 5: Monitor ground-disturbing activities and immediately halt construction activities if any cultural materials are discovered and implement a treatment plan to protect exposed cultural resources.

- The County will retain a qualified archaeologist to monitor ground-disturbing activities associated with the proposed project and will require its contractor to implement a cultural resources and burial treatment plan in the event of discovery of cultural resources. The qualified archaeologist will prepare the plan in coordination with the County, Caltrans archaeologist, and Native American tribe(s) interested in the project. The plan will describe specific measures to evaluate and re-bury potential artifacts, human remains, or other cultural resources exposed during ground disturbance.
- The County will coordinate with the Shingle Springs Band of Miwok Indians to retain a tribal monitor during ground-disturbing activities associated with the proposed project.

Implementation: The County will retain the services of a qualified archaeologist and will require its contractor to implement a cultural resources and burial treatment plan in the event of discovery of cultural resources.

Effectiveness Criteria: The County will prepare and keep on file documentation verifying the implementation of the above referenced measures.

Timing: Pre-Construction Phase and Construction Phase

Verified By: _____ Date: _____
County Project Manager